REFERENCES

1. Agwu JC. Screening for type 2 diabetes mellitus in children and adolescents. Br J Diabetes Vasc Dis. 2009;3 4-9
2. Alexandra Kautzky – Willer, Jurgen Harreiter, Giovanni Pacini.Sex and gender differences in risk, pathophysiology and complications of Type 2 Diabetes Mellitus. Endocrine reviews .2017; 37(3): 278-316.
3. Ambady Ramachandran, Chamukuttan Snehalatha,Kumpatla Satyavani. Type 2 diabetes in Asian Indian Children. Diabetes Care. 2003; 26:1022–1025
4. American Diabetes Association. Type 2 Diabetes in children and adolescents. Paediatrics. 2000;105: 671-680
5. Amina K,Philayrath P, Ben J Smith: Prevalence and risk factors of diabetes and impaired fasting glucose in Nauru: BMC Public Health 2011 11: 719
6. Amutha A, Datta M Unnikrishnan IR. Anjana RM, Rema M. Narayan K. Clinical profile of diabetes in the young seen between 1992 and 2009 at a specialist diabetes centre in south India. Prim Care Diabetes 2011 5(4) 223-9
7. Anamitra Barik, Sumit Mazumdar and Abhijit Chowdhury on topic “physiological and /behavioral risk factors of type 2 diabetes mellitus in rural India”. BMJopen access diabetes research care. Volume 4:1
8. AN Prasad. Type 2 Diabetes Mellitus in the young: Need for early screening. 2011;48: 683-688
9. Awat Feizi, Rokhsareh Meamar, Mohammad Eslamian. Area under the curve during OGTT in first degree relatives of diabetic patients as an efficient indicator of future risk of type 2 diabetes and prediabetes.2017;87:696-705.
10. Barik A, Mazumdar S, Chowdhury A, etal. Physiological and Behavioural risk factors of Type 2 Diabetes Mellitus in rural India.BMJ open access Diabetes research and care. 2016; 4: e000255
11. Deoke A, Hajare S, Saoji A. Prevalence of diabetes in high school students with special reference to cardiovascular efficiency. Glob J Health Sci. 2012;4:147–52

12. Dariush Mozaffarian, Aruna Kamineni,Mercedes Carnethon,etal.Lifestyle risk factors and new onset diabetes ellitus in older adults.NIH-PAauthor manuscript Arch Intern med.2009;169(8):798-80.

13. Davis CL, Pollock NK, Waller JL, Allison JD, Dennis BA, Bassali R, et al. Exercise dose and diabetes risk in overweight and obese children: A randomized controlled trial. JAMA. 2012;308:1103–12

14. Ethan M Balk, Amy Earley BS, Gowri Raman, etal. Combined Diet and physical activity promotion programmes to prevent Type 2 Diabetes among persons at increased risk: A systematic review for the community preventive task force.Annals of internal medicine.2015;163(6):437-446

15. Elizabeth R. Pulgaron and Alan M. Delamater. Obesity and Type 2 Diabetes in Children: Epidemiology and Treatment. NIH Public Access Author Manuscript Curr Diab Rep. Author manuscript; available in PMC 2015 August 01. Curr Diab Rep. 2014 August ; 14(8): 508

16. Gaidhane Shilpa et al; Risk factors of type 2 diabetes mellitus among adolescents from rural area of India; J Family Med Prim Care. 2017 Jul-Sep:6(3): 600-604.

17. Geneva: World Health Organization 2008. World Health Organization. Waist Circumference and Waist-Hip Ratio: Report of a WHO Expert Consultation. 2008 : 8-11 .

18. Gupta R, Misra A, Vikram NK, Kondal D, Gupta SS, Agrawal A. Younger age of escalation of cardiovascular risk factors in Asian Indian subjects. BMC C ardiovasc Disord 2009;9:28

19. Jaya P Tripathy, JS Taur, Gursimer Jeet,etal; Prevalence and risk factors f Diabetes in a large community based study in Norh India: results froma STEPS survey in Punjab, India: Diabetology & Metabolic syndrome 2017; 9:8

20. Katrine Hass Rubin, Dorte Glintborg, MadsNybo,etal. Development and risk factors of Type 2 Diabetes in a Nationwide Population of women with polycystic ovary syndrome. The Journal of clinical endocrinology metabolism.2017; 102(10): 3848-3856.

21. Kasper DL, Fauci AS,Hauser S , etal, editors,Harrison's Principles of Internal medicine, 19th ed. New York: The McGraw- Hill Companies,INC.;2015
22. Kristen J. Nadeau,1 Barbara J. Anderson,2 Erika G. Berg in their research, Youth-Onset Type 2 Diabetes Consensus Report: Current Status, Challenges, and Priorities. Diabetes Care 2016;39: 1635–1642.
23. Lloyd LJ, Langley-Evans SC, McMullen S. Childhood obesity and risk of the adult metabolic syndrome: A systematic review. Int J Obes (Lond) 2012;36:1–11
24. Mathers CD, Loncar D; "Projection of global mortality and burden of disease from 2002 to 2030" PLoS Med,2006,3(11):e442.
25. Miao Liu, Jianhua wang, Jing Zeng. Association of NAFLD wth diabetes ad the impact of BMI changes: A 5 year cohort study based on 18507 elderly, The Journal of clinical endocrinology & metabolism. 2017; 102(4): 1309-1316).
26. OHY Yu, B Richards, C Bergert. The association between sclerostin and incident type 2 diabetes risk : a cohort study. Clinical Endocrinology.2017; 86: 52-525.
27. Paul Zimmet and Jonathan Shaw FF. Rising incidence of diabetes mellitus in youth in the USA. Nature Reviews endocrinology.2017; 13(7): 379-380.
28. Pontiroli AE. Type 2 diabetes mellitus is becoming the most common type of diabetes in school children. Acta Diabetol 2004; 41:85-90 (PubMed)
29. Pradeep A Praveen , Nikhil Tandon. Child hood obesity and type 2 Diabetes in India. WHO South East Asia Journal of Public Health. 2016: 5(1):17-21.
30. Praveen PA, Tandon N. childhood obesity and type 2 diabetes in India. WHO South East Asia J Public health 2016 5(1) 17-21
31. PV Rao. Type 2 diabetes in children: Clinical aspects and risk factors. Indian Journal of Endocrinology and Metabolism. 2015;19(1): 47-50.
32. Ramachandran A,Vinitha R, Megha Thayyil: Prevalence of overweight in urban Indian adolescent school children. Diabetes Res Clinical Practice 57: 185-190,2002
33. Ranjani H, Sonya J, Anjana RM, Mohan V. Prevalance of glucose intolerance among children and aolescents in urban South india (orange-2). Diabetes Technol Ther 2013, 15do 1089

34. Reinehr Thomas. Type 2 diabetes mellitus in children and adolescents; World journal of Diabetes. 2013 Dec 15; 4(6): 270-281.

35. Ravi P Sahu, Ajay Aggarwal, Ghazala Zaidi. Etiology of early onset Type 2 Diabetes in Indians: Islet autoimmunity and mutations in hepatocyte nuclear factor1 α and mitochondrial gene. The Journal of Clinical Endocrinology & Metabolism.2018;92(7):2462-2467

36. Ruth A Hackett, Andrew Steptoe. Type 2 Diabetes Mellitus and psychological stress – a modifiable risk factor. Nature Reviews Endocrinology.2017;13:547-557

37. Shilpa Gaidhane, Wani Mittal, Nazi Khatib. Risk factor of type 2 diabetes mellitus among adolescents from rural area of India. Journal of family medicine and primary care.2017; 6(3): 600-604

38. Sinha, Fisch G, Teague B. Tamborlane WV, Banyas B. Allen K. Prevalence of impaired glucose tolerance among children and adolescents with marked obesity. N Eng J Med 2002, 346(11) 802-10

39. Stephanie T chung, Joon Ha, Anthony U Onuzuruike. Time to glucose peak during an oral glucose tolerance test identifies prediabetes risk.Clinical Endocriology.2017; 87 (5): 484-491.

40. Susan E Swithers and Jane Shearer. Sweetener associated with increased adiposity of young adults. Nature Review Endocrinology.2017; 13 (8): 443-444.

41. Syed Meraj Ahmed. A study on the prevalence of risk factors for diabetes and hypertension among school going children in Majmaah, Kingdom of Saudi Arabia; J Public Health Res. 2017 Sep 21; 6(2): 829

42. Tae Jung oh, Soo Lim, Kyoung Min Kim. One hour post load plasma glucose concentration in people with normal glucose homeostasis predicts future diabetes mellitus: a 12 –year community –based cohort study. Clinical endocrinology.2017;86:513-519

43. The Indian express: India has second highest obese children in the world: Study: Washington: 13 Jun 2017: 5:34:44 pm: https://indianexpress.com/ article/ lifestyle/health/ india-has-second-highest-obese-hildren-in -world-study-4702274.

44. Valdez R, Greenlund KJ, Khoury MJ, Yoon PW. Is family history useful tool for detecting children at risk for diabetes and cardiovascular disease? A public health perspective. Pediatrics 2007; 120:s78-86.

45. Verônica Medeiros da Costa, Patricia de Carvalho Padilha, Géssica Castor Fontes de Lima1. Diabetol Metab Syndr (2016) 8:39 DOI 10.1186/s13098-016-0154-4

46. V K Kawai, RT Levinson, A Adefurin. .A genetic risk score that includes common Type 2 diabetes risk variants associated with gestational diabetes. Clinical endocrinology.2017; 87:149-155.

47. V Mohan. "Why Indians are more prone to diabetes?" .Journal of the association of Physicians of India 2004; 52:468-474.

48. Weiss R, Dziura J, Burgert TS, Tamborlane WV, Taksali SE, Yeckel CW. Obesity and the metabolic syndrome in children and adolescents. N Engl J Med. 2004; 350: 2362–74

49. World Health Organisation. Global recommendations on physical acitivity for health. Geneva: WHO;2010

50. World Health Organization. Physical Status: The Use and Interpretation of Anthropometry. Technical Report Series. Report No. 854. Geneva: World Health Organization; 1995

51. Yajnik CS, Lubree HG, Rege SS, etal. Adiposity and hyperinsulinemia in Indians are Present at Birth. J Clin Endocrinal Metab 2002; 87: 5575-5580